



www.vcx.com.pl

KARTA KATALOGOWA

WESA FCM-02W łącznik dotykowy szklany podwójny biały



łącznik instalacyjny podwójny – łącznik elektryczny przeznaczony do załączania i wyłączania prądów roboczych w instalacjach niskiego napięcia, np. instalacji oświetleniowej.
Pasuje do standardowej puszkii 60mm

OZNACZENIE I PAKOWANIE


numer katalogowy	seria	nazwa produktu	opakowanie
WESA FCM-02W	FCM	łącznik dotykowy szklany podwójny biały	1szt

- Ilość przycisków: 2
- Materiał: szklany panel / tworzywo sztuczne
- Napięcie: 220-250V AC,
- Pobór energii: 0,02W
- Częstotliwość: 50/60 Hz,
- Wymiary panelu: 83,8x83,8x7,9 mm,
- Moc obciążenia: 1-750W
- Wilgotność względna: 10%-93% (nie skondensowana),
- Wytrzymałość: 100 000 cykli,



www.vcx.com.pl

WYMIARY I PODŁĄCZENIE





www.vcx.com.pl

DATA SHEET

WESA FCM-02W Glass touch switch double white



Double installation switch - an electrical switch designed to switch on and off operating currents in low-voltage installations, such as lighting systems.

Fits into a standard 60mm box.

VCX LABELLING AND PACKAGING

Catalog number	series	Product name	packaging
WESA FCM-02W	FCM	Double glass touch switch white	1pcs

- Number of buttons: 2
- Material: glass panel/plastic
- Voltage: 220-250V AC,
- Power consumption: 0.02W
- Frequency: 50/60Hz,
- Panel dimensions: 83.8x83.8x7.9mm,
- Load power: 1-750W
- Relative humidity: 10%-93% (non-condensed),
- Endurance: 100,000 cycles,



www.vcx.com.pl

DIMENSIONS AND CONNECTION

